



Attorney Docket: 1748X/50610
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: BRUNO MOTZET ET AL.

Serial No.: 09/988,388

Group Art Unit: 1745

Filed: NOVEMBER 19, 2001

Examiner: Not Yet Assigned

Title: GAS GENERATION SYSTEM FOR A REFORMER AND METHOD FOR
PROVIDING A GAS FLOW TO A REFORMER

RESPONSE TO NOTICE OF INCOMPLETE REPLY


Commissioner for Patents
Washington, D.C. 20231

Sir:

Two (2) sheets of substitute drawings (showing Figs.
1-3) meeting the requirements of 37 CFR § 1.84 are hereby
submitted.

February 26, 2002

Respectfully submitted,


Donald D. Evenson

Reg. No. 26,160

Reg. No. 32,390

CROWELL & MORING LLP

P.O. Box 14300

Washington, D.C. 20044-4300

Telephone No.: (202) 624-2500


Facsimile No.: (202) 628-8844

DDE:RRD:msy



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov



APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/988,388	11/19/2001	Bruno Motzet	1748X/50610

CONFIRMATION NO. 8243

FORMALITIES LETTER



OC00000007447867

ROWELL & MORING, L.L.P.
P.O. Box 14300
Washington, DC 20044-4300

Date Mailed: 02/08/2002

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on 01/29/2002 to the Notice to File Missing Parts (Notice) mailed 11/30/2001 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - Drawings must be reasonably free from erasures and must be free from alterations, overwritings, interlineations, folds, and copy marks.

*A copy of this notice **MUST** be returned with the reply.*

S. Gorems

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

09/988,388